

## Publications by Dr N. Kovacevic

**KOVACEVIC, N. (1990).** Concrete face rockfill dams - Rockfill behaviour, embankment zoning and stress-strain analysis. *MSc Thesis*, Imperial College, University of London.

**KOVACEVIC, N. (1994).** Numerical analysis of rockfill dams, cut slopes and road embankments. *PhD Thesis*, Imperial College, University of London.

**KOVACEVIC, N., POTTS, D.M. and VAUGHAN, P.R. (1994).** Finite element analysis of a rockfill dam. *Proc. 8th Int. Conf. Comp. Meths. Adv. Geomechs*, Vol.3, Morgantown, West Virginia, USA, 2459-2464.

**KOVACEVIC, N., EDMONDS, H.E., MAIR, R.J., HIGGINS, K.G. and POTTS, D.M. (1996).** Numerical modelling of the NATM and compensation grouting at Redcross Way. *Int. Symp. Geotechnical Aspects of Underground Construction in Soft Ground*, City University, London, UK, 553-559.

**KOVACEVIC, N., POTTS, D.M., VAUGHAN, P.R., CHARLES, J.A. and TEDD, P. (1997).** Assessing the safety of old embankment dams by observing and analysing movement during reservoir operation. *Proc. 19th ICOLD*, Florence, Italy, 551-566.

**POTTS, D.M., KOVACEVIC, N. and VAUGHAN, P.R. (1997).** Delayed collapse of cut slopes in stiff clay. *Géotechnique*, Vol.47, No.5, 953-982.

**HIGGINS, K.G., KOVACEVIC, N. and POTTS, D.M. (1999).** Use of appropriate soil models in soil structure interaction analyses. *Proc. 2nd Int. Symp. Pre-failure Deformation Characteristics of Geomaterials*, Vol.1, Torino, Italy, 773-781.

**POTTS, D.M., KOVACEVIC, N. and VAUGHAN, P.R. (2000).** Discussion: Delayed collapse of cut slopes in stiff clay. *Géotechnique*, Vol.50, No.2, 203-205.

**KOVACEVIC, N., POTTS, D.M. and VAUGHAN, P.R. (2000).** The effect of the development of undrained pore pressure on the efficiency of compaction grouting. *Géotechnique*, Vol.50, No.6, 683-688.

**KOVACEVIC, N., POTTS, D.M. and VAUGHAN, P.R. (2001).** Discussion: The effect of the development of undrained pore pressure on the efficiency of compaction grouting. *Géotechnique*, Vol.52, No.1, 74-75.

**KOVACEVIC, N., MAIR, R.J. and POTTS, D.M. (2001).** Finite element analyses of ground movements from tunnelling below Southwark Park. *Building response to tunnelling, Case studies from construction of the Jubilee Line Extension*, Volume 1: Projects and methods, Chapter 13, CIRIA, Thomas Telford, London, UK, 185-194.



**FERNIE, R., SHAW, S.M., DICKSON, R.A., ST JOHN, H.D., KOVACEVIC, N., BOURNE-WEBB, P. and POTTS, D.M. (2001).** Movement and deep basement provision of Knightsbridge Crown Court, Harrods, London. *Proc. Int. Conf. Response of buildings to excavation-induced ground movements*, CIRIA, Thomas Telford, London, UK, 289-300.

**KOVACEVIC, N., POTTS, D.M. and VAUGHAN, P.R. (2001).** Progressive failure in clay embankments due to seasonal climate changes. *Proc. 15th ICSMGE*, Vol.3, Istanbul, Turkey, 2127-2130.

**JARDINE, R.J., KOVACEVIC, N., HOYLE, M.J.R., SIDHU, H.K. and LETTY, A. (2001).** A study of eccentric jack-up penetration into infilled footprint crater. *Proc. 8<sup>th</sup> Int. Conf. The Jack-Up Platform: Design, Construction and Monitoring*, London, England. Paper No. 16.

**KOVACEVIC, N. (2001).** Contributions to the book *Finite element analysis in geotechnical engineering: Application* (Chapter 4: Cut Slopes, Chapter 5: Embankments) by Potts D.M. and Zdravkovic, L. *Thomas Telford*, London, UK.

**KOVACEVIC, N., POTTS, D.M. and VAUGHAN, P.R. (2002).** A comparison between predicted and observed deformation of Winscar dam. *Proc. 8<sup>th</sup> NUMOG*, Rome, Italy, 565-571.

**VAUGHAN, P.R., KOVACEVIC, N. and RIDLEY, A.M. (2002).** The influence of climate and climate change on the stability of abutment and reservoir slopes. *Proc. 12<sup>th</sup> Int. Conf. Reservoirs in a changing world*, The British Dam Society, *Thomas Telford*, London, UK, 337-352.

**VAUGHAN, P.R., KOVACEVIC, N. and RIDLEY, A.M. (2002).** The influence of climate and climate change on the stability of embankment dam slopes. *Proc. 12<sup>th</sup> Int. Conf. Reservoirs in a changing world*, The British Dam Society, *Thomas Telford*, London, UK, 353-366.

**JARDINE, R.J., KOVACEVIC, N., HOYLE, M.J.R., SIDHU, H.K. and LETTY, A. (2002).** Assessing the effects on jack-up structures of eccentric installation over infilled craters. *Proc. Int. Conf. Offshore Site Investigation and Geotechnics - 'Diversity and Sustainability'* London, UK, 307-324.

**KOVACEVIC, N., HIGHT, D.W. and POTTS, D.M. (2003).** A comparison between observed and predicted behaviour of a deep excavation in soft Bangkok clay. *Proc. 3<sup>rd</sup> Int. Conf. Deformation Characteristics of Geomaterials*, Vol. 1, Lyon, France, 983-989.

**JARDINE, R.J., KOVACEVIC, N. and STANDING, J.R. (2003).** Lessons learned from full scale observations and the practical application of advanced testing and modelling. *Proc. 3<sup>rd</sup> Int. Conf. Deformation Characteristics of Geomaterials*, Vol. 2, Lyon, France.



**LONG, M., MENKITI, C.O., KOVACEVIC, N., MILLIGAN, G.W.E., COULET, D. and POTTS, D.M. (2003).** An observational approach to the design of steep-sided excavations in Dublin glacial tills. *Proc. Conf. Underground Construction*, London, UK, 443-454.

**VAUGHAN, P.R., KOVACEVIC, N. and POTTS, D.M. (2004).** Then and now: some comments on the design and analysis of slopes and embankments. *Proc. Skempton Memorial Conf. Advances in Geotechn. Engng*, Vol.3, London, UK, *Thomas Telford*, 15-64.

**KOVACEVIC, N., HIGHT, D.W. and POTTS, D.M. (2004).** Temporary slope stability in London Clay – back analyses of two case histories. *Proc. Skempton Memorial Conference Advances in Geotechn. Engng*, Vol.3, London UK, *Thomas Telford*, 1-14.

**MENKITI, C.O., LONG, M., KOVACEVIC, N., EDMONDS, H.E., MILLIGAN, G.W.E. and POTTS, D.M. (2004).** Trial excavation for cut and cover tunnel construction in glacial till - a case study from Dublin. *Proc. Skempton Memorial Conference Advances in Geotechn. Engng*, Vol.2, London UK, *Thomas Telford*, 1090-1104.

**KOVACEVIC, N., VAUGHAN, P.R. and POTTS, D.M (2004).** A comparison between the observed and predicted deformations of an old dam during reservoir operation. *Proc 9<sup>th</sup> Int. Conf. Numerical Models in Geomechanics - NUMOG IX*, Ottawa, Canada, 597-593.

**KOVACEVIC, N., HIGHT, D.W. and POTTS, D.M. (2007).** Predicting stand-up time of temporary London Clay slopes at Terminal 5, Heathrow Airport. *Geotechnique*, Vol. 57, No.1, 63-74.

**KOVACEVIC, N., HIGGINS, K.G., POTTS, D.M. and VAUGHAN, P.R. (2007).** Undrained behaviour of brecciated Upper Lias Clay at Empingham Dam. *Geotechnique*, Vol. 57, No.2, 181-195.

**KOVACEVIC, N., HIGGINS, K.G and POTTS, D.M. (2007).** Finite element back-analysis of trial bank at Empingham Dam. *Proc 10<sup>th</sup> Int. Conf. Numerical Models in Geomechanics - NUMOG X*, Rhodes, Greece, 587-593.

**GRAMMATIKOPOULOU, A., JARDINE, R.J., KOVACEVIC, N., POTTS, D.M., HOYLE, M.J.R. and HAMPSON, K.M. (2007).** Potential solutions to the problem of the eccentric installation of Jack-Up structures into old footprint craters. *Proc. 6<sup>th</sup> Int. Offshore Site Investigation and Geotechnics Conference – OSIG 6*, London, UK, 293-300.

**SCHROEDER, F.C., JARDINE, R.J., KOVACEVIC, N. and POTTS, D.M. (2007).** Potential effects of well drilling operations on foundation piles in clay. *Proc. 6<sup>th</sup> Int. Conf. on Offshore Site Investigation and Geotechnics – OSIG 6*, London, UK, 271-276.

**KOVACEVIC, N., MILLIGAN, G.W.E., MENKITI, C.O., LONG, M. and POTTS, D.M. (2008).** Finite element analyses of steep man-made cuts in Dublin Boulder Clay. *Can. Geotechn. J.*, Vol.45, No.4 , 549-559.



**KOVACEVIC, N. POTTS, D.M. and VAUGHAN, P.R. (2008).** Recent advances in the numerical modelling of embankment dams. *Proc. 15<sup>th</sup> Int. Conf. Ensuring reservoir safety into the future*, The British Dam Society, Thomas Telford, London, UK, 164-176.

**SCHROEDER, F.C., JARDINE, R.J., KOVACEVIC, N. and POTTS, D.M. (2008).** Assessing well drilling disturbance effects on offshore foundation piles in clay. *ASCE J. of Geotechnical and Geoenvironmental engineering*, Vol.134, No.9, 1261-1271.

**KOVACEVIC, VAUGHAN, P.R. and N. POTTS, D.M. (2009).** Finite element analysis of Ladybower Dam: long-term operation and dam raising. *Proc. 2nd Int. Conf. Long term behaviour of dams*, Graz, Austria, 808-813.

**GRAMMATIKOPOULOU, A., KOVACEVIC, N., ZDRAVKOVIC, L. and POTTS, D.M. (2010).** Finite element back analysis of the main embankment at Empingham Dam. *Proc. 7<sup>th</sup> European Conf. Num. Methods Geotechnical Engng. (NUMGE 2010)*, Trondheim, Norway, 557-562.

**KOVACEVIC, N. and POTTS, D.M. (2011).** Use of advanced constitutive models in numerical analysis of embankment dams, *Proc. 2<sup>nd</sup> Int. Symp. Computational Geomechanics (ComGeo 2011)*, Cavtat, Croatia.

**GRAMMATIKOPOULOU, A., SCHROEDER, F.C., KOVACEVIC, N., GERMANO, V. and GASPARRE, A. (2011).** The influence of stiffness anisotropy on the behaviour of a stiff natural clay. *Proc. 15<sup>th</sup> Eur. Conf. Soil Mech. Geotech. Engng (ECSMGE 2011)*, Athens, Greece, 545-550.

**LEROUEIL, S., LOCAT, A., EBERHARDT, E. and KOVACEVIC, N. (2012).** Progressive failure in natural and engineered slopes. *Proc. 11<sup>th</sup> International & 2<sup>nd</sup> North American Symposium on Landslides*, 3-8 June 2012, Banff, Canada.

**KOVACEVIC, N., JARDINE, R.J., POTTS, D.M., CLUKEY, C.E., BRAND, J.R. and SPIKULA, D.R. (2012).** A numerical simulation of underwater slope failures generated by salt diapirism combined with active sedimentation. *Géotechnique*, Vol.62, No.9, 777-786.

**KOVACEVIC, N., HIGHT, D.W., POTTS, D.M. and CARTER, I.C. (2013).** Finite element analysis of the failure and reconstruction of the main dam embankment at Abberton Reservoir, Essex, UK. *Géotechnique*, Vol.63, No.9, 753-767.

**KOVACEVIC, N., MENKITI, C.O., LONG, M. and POTTS, D.M. (2015).** Finite element analyses of a cantilever wall in Dublin Boulder Clay. *Proc. 16th ICSMGE*, Edinburgh, UK, 3983-3988.

**GRAMMATIKOPOULOU, A., SCHROEDER, F.C., KOVACEVIC, N. and POTTS, D.M. (2015).** Stiffness anisotropy and its effect on the behaviour of deep excavations. *Proc. 16th ICSMGE*, Edinburgh, UK, 3875-3880.



**HIGHT, D.W., KOVACEVIC, N. and POTTS, D.M. (2016).** The London Heathrow Airport's Terminal 5 case study. To be published in the book *Understanding landslide through case histories* edited by Serge Leroueil and Luciano Picarelli.



**GEOTECHNICAL CONSULTING GROUP**

52A Cromwell Road London SW7 5BE United Kingdom  
Tel: +44 (0)20-7581-8348 Fax: +44 (0)20-7584-0157 Email: [admin@gcg.co.uk](mailto:admin@gcg.co.uk)

*Page 5 of 5*